Erysimum pectinatum

Habitus and growth type

Life span: **Perennial**
Life form: **Hemicryptophyte**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Ellenberg-type indicator values

Light indicator value: **7.8**
Temperature indicator value: **9**
Moisture indicator value: **3.6**
Reaction indicator value: **7.2**
Nutrient indicator value: **3.8**
Salinity indicator value: **0.1**

Disturbance indicator values

Disturbance frequency: **0.39**
Disturbance frequency (herb layer): **1.7**
Disturbance severity: **0.56**
Disturbance severity (herb layer): **0.31**
Mowing frequency: **0.02**
Grazing pressure: **0.33**
Soil disturbance: **0.14**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **FR (DAP) *Daphno-Festucetea***

Broad habitat

Occurrence in broad habitats: **Oromediterranean scrub**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz