Ferula euxina

Habitus and growth type

Life span: **Perennial**
Life form: **Hemicryptophyte**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Ellenberg-type indicator values

Light indicator value: **8.2**
Temperature indicator value: **5.6**
Moisture indicator value: **4.2**
Reaction indicator value: **7.1**
Nutrient indicator value: **2.9**
Salinity indicator value: **0.8**

Disturbance indicator values

Disturbance frequency: **2.27**
Disturbance frequency (herb layer): **2.27**
Disturbance severity: **0.52**
Disturbance severity (herb layer): **0.52**
Mowing frequency: **0.26**
Grazing pressure: **0.42**
Soil disturbance: **0.28**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **DA (FES) *Festuco-Brometea***

Broad habitat

Occurrence in broad habitats: **Grassland (non-alpine, non-saline)**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz