Festuca henriquesii

Habitus and growth type

Life span: **Perennial**
Life form: **Hemicryptophyte**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Ellenberg-type indicator values

Light indicator value: **8.6**
Temperature indicator value: **4.3**
Moisture indicator value: **4.4**
Reaction indicator value: **2.6**
Nutrient indicator value: **1.6**
Salinity indicator value: **0**

Disturbance indicator values

Disturbance frequency: **1.52**
Disturbance frequency (herb layer): **1.52**
Disturbance severity: **0.38**
Disturbance severity (herb layer): **0.36**
Mowing frequency: **0.18**
Grazing pressure: **0.28**
Soil disturbance: **0.13**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **CT (TRI) *Juncetea trifidi***

EUNIS habitat

Diagnostic species of EUNIS habitats: **R33 Mediterranean short moist grassland of mountains**, **U24 Mediterranean siliceous scree**
Dominant species of EUNIS habitats: **R33 Mediterranean short moist grassland of**

© 2014-2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

mountains

Broad habitat

Occurrence in broad habitats: **Grassland (non-alpine, non-saline)**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz