Juniperus foetidissima

Habitus and growth type

Plant height [m]:
Life span: **Perennial**
Life form: **Phanerophyte, Tree**

Fruit, seed and dispersal

Seed mass [mg]: **174.71**
Dispersal mode: **Endozoochory**
Dispersal distance class: **6**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Dry**

Ellenberg-type indicator values

Light indicator value: **8**
Temperature indicator value: **5.8**
Moisture indicator value: **4.3**

Disturbance indicator values

Disturbance frequency: **0.1**
Disturbance frequency (herb layer): **1.74**
Disturbance severity: **0.65**
Disturbance severity (herb layer): **0.36**
Mowing frequency: **0.01**
Grazing pressure: **0.35**
Soil disturbance: **0.17**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **CN (SAB) *Junipero-Pinetea sylvestris***

EUNIS habitat

Diagnostic species of EUNIS habitats: **T33 Mediterranean mountain Abies forest,**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

T38 Mediterranean montane Cedrus forest, T3D Mediterranean Cupressaceae forest

Constant species of EUNIS habitats: **T38 Mediterranean montane Cedrus forest, T3D Mediterranean Cupressaceae forest**

Dominant species of EUNIS habitats: **T3D Mediterranean Cupressaceae forest**

Broad habitat

Occurrence in broad habitats: **Forest**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz