Juniperus communis subsp. *nana*

Habitus and growth type

Plant height [m]: **0.9**

Flower

Flowering period: **April-July**

Fruit, seed and dispersal

Seed mass [mg]: **29.35**
Dispersal mode: **Endozoochory**
Dispersal distance class: **6**

Ecology

Disturbance indicator values

Disturbance frequency: **0.57**
Disturbance frequency (herb layer): **0.94**
Disturbance severity: **0.37**
Disturbance severity (herb layer): **0.24**
Mowing frequency: **0.03**
Grazing pressure: **0.2**
Soil disturbance: **0.06**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **AC (LOI) *Loiseleurio procumbentis-Vaccinietea***, **CN (SAB) *Junipero-Pinetea sylvestris***, **CP (MUG) *Roso pendulinae-Pinetea mugo***, **CQ (RHO) *Rhododendro hirsuti-Ericetea carneae***, **FQ (GEN) *Carici-Genistetea lobelii***

EUNIS habitat

Diagnostic species of EUNIS habitats: **R1J Cyrno-Sardean oromediterranean siliceous dry grassland**, **S23 Alpine and subalpine Juniperus scrub**, **S26 Subalpine Pinus mugo scrub**, **T34 Temperate subalpine Larix, Pinus cembra and Pinus uncinata forest**, **T39 Mediterranean and Balkan subalpine Pinus heldreichii-Pinus peuce forest**

Constant species of EUNIS habitats: **R1G Iberian oromediterranean siliceous dry grassland**, **R1J Cyrno-Sardean oromediterranean siliceous dry grassland**, **R45 Alpine and subalpine calcareous grassland of the Balkans and Apennines**, **S22 Alpine and subalpine ericoid heath**, **S23 Alpine and subalpine Juniperus scrub**, **S26 Subalpine Pinus mugo scrub**, **T34 Temperate subalpine Larix, Pinus cembra and Pinus uncinata forest**, **T37 Mediterranean montane Pinus sylvestris-Pinus nigra forest**, **T39 Mediterranean and Balkan subalpine Pinus heldreichii-Pinus peuce forest**, **U21 Boreal and Arctic siliceous scree and block field**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Dominant species of EUNIS habitats: **S23 Alpine and subalpine Juniperus scrub**, **T37 Mediterranean montane Pinus sylvestris-Pinus nigra forest**

Broad habitat

Occurrence in broad habitats: **Grassland (non-alpine, non-saline), Alpine-subalpine and arctic grassland, Heathland, Oromediterranean scrub, Scrub, Forest, Sparsely vegetated (incl. rock and scree)**

Distribution

Continentality: **7**
Continentality amplitude: **4**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz