# *Theligonum*

## Habitus and growth type

Plant height [m]: **0.12**
Life span: **Annual**
Life form: **Therophyte**

## Flower

Flowering period: **January-April**

## Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **1**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **native**

## Ecology

### Environmental relationships

Substrate humidity relationship: **Dry**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Eutrophic**
Salinity relationship: **Non-saline**

### Ellenberg-type indicator values

Light indicator value: **6.7**
Temperature indicator value: **9.3**
Moisture indicator value: **4.3**
Reaction indicator value: **7**
Nutrient indicator value: **6.3**
Salinity indicator value: **0**

### Disturbance indicator values

Disturbance frequency: **0.45**
Disturbance frequency (herb layer): **1.59**
Disturbance severity: **0.77**
Disturbance severity (herb layer): **0.51**
Mowing frequency: **0.22**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

Grazing pressure: **0.26**
Soil disturbance: **0.29**

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: **QC (CHE) *Chenopodietea***

### EUNIS habitat

Diagnostic species of EUNIS habitats: **T25 Phoenix theophrasti vegetation**

Constant species of EUNIS habitats: **T25 Phoenix theophrasti vegetation**

### Broad habitat

Occurrence in broad habitats: **Scrub, Forest, Sparsely vegetated (incl. rock and scree), Synanthropic**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*