# *Adenostyles leucophylla*

### Habitus and growth type

Plant height [m]: **0.3**
Life span: **Perennial**
Life form: **Hemicryptophyte**

### Flower

Flowering period: **June-August**

### Fruit, seed and dispersal

Seed mass [mg]: **1.3**
Dispersal mode: **Anemochory**
Dispersal distance class: **5**

### Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

### Taxon origin

Origin in Europe: **native**

### Ecology

#### Environmental relationships

Substrate humidity relationship: **Wet**
Substrate reaction relationship: **Acidic**
Nutrient relationship: **Oligotrophic**
Salinity relationship: **Non-saline**

#### Ellenberg-type indicator values

Light indicator value: **7**
Temperature indicator value: **1.5**
Moisture indicator value: **7**
Reaction indicator value: **2**
Nutrient indicator value: **2**
Salinity indicator value: **0**

#### Disturbance indicator values

Disturbance frequency: **1.29**
Disturbance frequency (herb layer): **1.55**
Disturbance severity: **0.3**
Disturbance severity (herb layer): **0.28**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

Mowing frequency: **0**
Grazing pressure: **0.15**
Soil disturbance: **0.16**

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: **CS (MUL) *Mulgedio-Aconitetea*, KE (THL) *Thlaspietea rotundifolii***

### EUNIS habitat

Diagnostic species of EUNIS habitats: **U22 Temperate high-mountain siliceous scree**

### Broad habitat

Occurrence in broad habitats: **Alpine-subalpine and arctic grassland, Sparsely vegetated (incl. rock and scree)**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*