Atriplex aucheri

Habitus and growth type

Life span: **Annual**
Life form: **Therophyte**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Disturbance indicator values

Disturbance frequency: **1.53**
Disturbance frequency (herb layer): **1.83**
Disturbance severity: **0.54**
Disturbance severity (herb layer): **0.52**
Mowing frequency: **0.19**
Grazing pressure: **0.37**
Soil disturbance: **0.35**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **EC (KAL) *Kalidietea foliati***

EUNIS habitat

Diagnostic species of EUNIS habitats: **R64 Semi-desert salt pan**, **S94 Semi-desert riparian scrub**
Constant species of EUNIS habitats: **R64 Semi-desert salt pan**, **S94 Semi-desert riparian scrub**
Dominant species of EUNIS habitats: **R64 Semi-desert salt pan**

Broad habitat

Occurrence in broad habitats: **Wetland, Saline vegetation, Scrub**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz