# *Elatine hungarica*

## Habitus and growth type

Life span: **Annual**
Life form: **Therophyte**

## Fruit, seed and dispersal

Dispersal mode: **Epizoochory**
Dispersal distance class: **6**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **Native**

## Ecology

### Environmental relationships

Substrate humidity relationship: **Water**
Substrate reaction relationship: **Slightly acidic to near-neutral**
Nutrient relationship: **Mesotrophic**
Salinity relationship: **Non-saline**

### Ellenberg-type indicator values

Light indicator value: **7.5**
Temperature indicator value: **6.3**
Moisture indicator value: **9.8**
Reaction indicator value: **5**
Nutrient indicator value: **4**
Salinity indicator value: **0**

### Disturbance indicator values

Disturbance frequency: **1.95**
Disturbance frequency (herb layer): **1.95**
Disturbance severity: **0.63**
Disturbance severity (herb layer): **0.63**
Mowing frequency: **0.13**
Grazing pressure: **0.11**
Soil disturbance: **0.41**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: **OC (ISO) *Isoëto-Nanojuncetea***

### EUNIS habitat

Diagnostic species of EUNIS habitats: **V14 Inundated or inundatable cropland, including rice fields**

Constant species of EUNIS habitats: **V14 Inundated or inundatable cropland, including rice fields**

### Broad habitat

Occurrence in broad habitats: **Wetland, Synanthropic**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*