

Phillyrea latifolia

Habitus and growth type

Plant height [m]: **7.53**

Life span: **Perennial**

Life form: **Phanerophyte, Tree**

Spinescence: **spinescent**

Leaf

Specific leaf area [mm²/mg]: **6.81**

Flower

Flowering period: **February-May**

Fruit, seed and dispersal

Seed mass [mg]: **30.25**

Dispersal mode: **Endozoochory**

Dispersal distance class: **6**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Mesic**

Substrate reaction relationship: **Slightly acidic to near-neutral**

Nutrient relationship: **Mesotrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Temperature indicator value: **9**

Moisture indicator value: **3.6**

Reaction indicator value: **6.3**

Nutrient indicator value: **4**

Salinity indicator value: **0**

Disturbance indicator values

Disturbance frequency: **0.11**

Disturbance frequency (herb layer): **1.31**
 Disturbance severity: **0.7**
 Disturbance severity (herb layer): **0.18**
 Mowing frequency: **0.01**
 Grazing pressure: **0.26**
 Soil disturbance: **0.1**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [CB \(PUB\) *Quercetea pubescentis*](#), [FA \(QUI\) *Quercetea ilicis*](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [S51 Mediterranean maquis and arborescent matorral](#), [T1A Mediterranean thermophilous deciduous forest](#), [T21 Mediterranean evergreen Quercus forest](#), [T3A Mediterranean lowland to submontane Pinus forest](#)

Constant species of EUNIS habitats: [N1B Mediterranean and Black Sea coastal dune scrub](#), [N1G Mediterranean coniferous coastal dune forest](#), [S51 Mediterranean maquis and arborescent matorral](#), [S52 Submediterranean pseudomaquis](#), [S54 Thermomediterranean arid scrub](#), [S63 Eastern garrigue](#), [T1A Mediterranean thermophilous deciduous forest](#), [T21 Mediterranean evergreen Quercus forest](#), [T22 Mainland laurophyllous forest](#), [T24 Olea europaea-Ceratonia siliqua forest](#), [T3A Mediterranean lowland to submontane Pinus forest](#), [T3C Taxus baccata forest](#), [T3D Mediterranean Cupressaceae forest](#)

Dominant species of EUNIS habitats: [S51 Mediterranean maquis and arborescent matorral](#), [T1A Mediterranean thermophilous deciduous forest](#)

Broad habitat

Occurrence in broad habitats: **Scrub, Forest**