Primula farinosa

Habitus and growth type

Plant height [m]: **0.15**
Life span: **Perennial**
Life form: **Hemicryptophyte**

Leaf

Specific leaf area [mm^2/mg]: **23.31**

Flower

Flowering period: **March-July**

Fruit, seed and dispersal

Seed mass [mg]: **0.07**
Dispersal mode: **Myrmecochory**
Dispersal distance class: **3**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Wet**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Oligotrophic**
Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **8.2**
Temperature indicator value: **3.3**
Moisture indicator value: **8.2**
Reaction indicator value: **8.4**
Nutrient indicator value: **1.9**
Salinity indicator value: **0**

Disturbance indicator values

Disturbance frequency: **1.6**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Disturbance frequency (herb layer): **1.85**
Disturbance severity: **0.24**
Disturbance severity (herb layer): **0.23**
Mowing frequency: **0.52**
Grazing pressure: **0.13**
Soil disturbance: **0.05**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **PA (SCH) *Scheuchzerio palustris-Caricetea fuscae***

EUNIS habitat

Diagnostic species of EUNIS habitats: **Q41 Alkaline, calcareous, carbonate-rich small-sedge spring fen**, **Q43 Tall-sedge base-rich fen**, **Q45 Arctic-alpine rich fen**, **Q46 Carpathian travertine fen with halophytes**
Constant species of EUNIS habitats: **Q23 Relict mire of Mediterranean mountains**, **Q41 Alkaline, calcareous, carbonate-rich small-sedge spring fen**, **Q43 Tall-sedge base-rich fen**, **Q45 Arctic-alpine rich fen**, **Q46 Carpathian travertine fen with halophytes**
Dominant species of EUNIS habitats: **Q46 Carpathian travertine fen with halophytes**

Broad habitat

Occurrence in broad habitats: **Aquatic, Spring, Mire, Grassland (non-alpine, non-saline), Scrub**

Distribution

Continentality: **5**
Continentality amplitude: **3**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz