# *Silene bellidifolia*

## Habitus and growth type

Plant height [m]: **0.47**
Life span: **Annual**
Life form: **Therophyte**

## Flower

Flowering period: **January-June**

## Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **Native**

## Ecology

### Environmental relationships

Substrate humidity relationship: **Dry**
Substrate reaction relationship: **Slightly acidic to near-neutral**
Nutrient relationship: **Oligotrophic**
Salinity relationship: **Non-saline**

### Ellenberg-type indicator values

Light indicator value: **7**
Temperature indicator value: **9.5**
Moisture indicator value: **3**
Reaction indicator value: **6**
Nutrient indicator value: **4**
Salinity indicator value: **0**

### Disturbance indicator values

Disturbance frequency: **1.31**
Disturbance frequency (herb layer): **1.85**
Disturbance severity: **0.84**
Disturbance severity (herb layer): **0.8**
Mowing frequency: **0.83**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

Grazing pressure: **0.22**
Soil disturbance: **0.41**

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: **FJ (TRA) *Stipo-Trachynietea distachyae***

### Broad habitat

Occurrence in broad habitats: **Grassland (non-alpine, non-saline), Sparsely vegetated (incl. rock and scree)**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*